

December 6, 2016

Kimberly N. Tisa
PCB Coordinator
Office of Site Remediation & Restoration
EPA New England, Region 1,
5 Post Office Square - Suite 100
Boston, MA 02109-3912


**RE: Certification Letter
Mass Mills III Lot 3B
169.2 Bridge Street Lowell, MA
MADEP RTN: 3-33101 and 3-33474**

Dear Ms. Tisa:

I, the property owner and operator of Massachusetts Mills III Limited Partnership, LLC (MMIII; aka Mass Mills Apartments), located at 169.2 Bridge Street (aka 150 Mass Mills Drive), Lowell, Massachusetts, am conducting a risk-based PCB clean-up of soils contaminated with PCBs at the above-referenced property. I hereby certify that sample preparation procedures, extraction procedures, and instrumental/chemical analysis procedures used to assess or characterize the PCB contamination at the cleanup site are on file at the location designated in the certificate, and are available for EPA inspection (40 CFR 761.61(a)(3)(i)(E)). In addition, I am aware of, understand, and will adhere to the recordkeeping and reporting requirements of 40 CFR 761 Subparts J and K, applicable to this risk-based PCB cleanup.

Please contact the undersigned at (617) 838-9388, or (781) 353-2577 with any questions.

Sincerely,



Joseph Mullins
General Partner / Owner - Operator